

CETCO VMS chosen for popular restaurant situated near former dry cleaner site

The location of a new, two-story Buffalo Wild Wings restaurant was adjacent to a former dry cleaner site. The primary concerns were chlorinated compounds and benzene.



PROJECT DETAILS

Buffalo Wild Wings Restaurant
Engineer: Lambert Engineers
General Contractor:
Barnes Construction
Certified Installer:
Midwest Barrier Solutions

LOCATION

Metairie, LA

PRODUCTS USED

LIQUID BOOT® 500
Gas Vapor Mitigation System
GEOVENT™ Gas Venting System

CHALLENGE:

The low lying area, primarily consisting of sandy/silty ground, provided a geomechanical challenge in addition to the numerous footings/piers that were required to support the structure and eliminate settling. Multiple grade beams and the monolithic slab design were also more of a challenge than a normal slab on grade design. Sandy stratum also allowed for increased migration of other groundwater plumes on to the subject site.

SOLUTION:

CETCO's GEOVENT™ sub slab venting system was laid out to minimize transitions through grade beams. In addition, 8,000 square feet of the LIQUID BOOT® 500 vapor intrusion mitigation system was utilized which allowed for reliable seals around the many penetrations and exposed piers. The LIQUID BOOT® 500 system, along with GEOVENT™, provides dependable, long-term protection against potential gas vapor migration from chlorinated compounds.

CETCO VMS chosen for popular restaurant situated near former dry cleaner site

RESULT:

Installation of the LIQUID BOOT® 500 system was completed successfully and on schedule. A smoke test quality assurance procedure and inspection to ensure a reliable seal around the numerous exposed piers and penetrations. This site contributed to the continued improvement in land value in the Jefferson Parish area.

North America: 847.851.1800 | 800.527.9948 | www.cetco.com

UPDATED: SEPTEMBER 2017

© 2017 Minerals Technologies Inc. IMPORTANT: The information contained herein supersedes all previous printed versions, and is believed to be accurate and reliable. For the most up-to-date information, please visit www.cetco.com. CETCO accepts no responsibility for the results obtained through application of this product. CETCO reserves the right to update information without notice.

